

Product data sheet Rollan 80 NT complete set *



Sliding door fitting for glass leaves

AREAS OF APPLICATION

- → For glass leaves with a 30 mm glass clamping plate
- → For leaf weights up to 80 kg
- → For wall and ceiling installation

Rollan 80 NT complete set *



PRODUCT FEATURES

→ Sliding door fitting for glass leaves with up to 80 kg leaf weight

TECHNICAL DATA

Productname	Rollan 80 NT complete set *		
Leaf material	Glass		
Leaf weight (max.)	80 kg		
Leaf weight (max.) with draw-in damper	40 kg		
Number of leaves	1-leaf, 2-leaf		
Leaf width (min.)	500 mm		
Leaf width (max.)	1640 mm		
Test cycles	50000		
Corrosion protection class	1		
Pane thickness	8 – 10 mm		
Type of installation	Wall, Ceiling		
Access for all	according to DIN 18040		

VARIANTS / ORDER INFO

Designation	Description	Ident- No.	Dimensio ns	Leaf width (min.)	Leaf width (max.)
GEZE Rollan 80 NT complete set	Set for wall and ceiling installation with glass leaf, 30 mm glass clamping plate individually covered EV1, up to 80 kg leaf weight -ball bearing-	160423	1900 mm	500 mm	970 mm

PART

FLOOR GUIDE FOR GLASS LEAF

Floor guide with variable adjustment for glass thicknesses 8, 10 and 12 $\,$ mm $\,$



Designation	Description	Ident- No.	Colour	Pane thickness	Leaf material
Floor guide for glass leaf (adjustable)	with variable adjustment for pane thickness 8–13.5 mm, with frieze band to reduce noise on textured glass surfaces, without attachment material	148019	Stainless steel optic	8 - 13.5 mm	Glass
Floor guide for glass leaf (adjustable) *	with variable adjustment for pane thickness 8-13.5 mm, with frieze band to reduce noise on textured glass surfaces, without attachment material	149657	according to RAL	8 - 13.5 mm	Glass

GEZE GmbH Reinhold-Vöster-Straße 21–29 D-71229 Leonberg TEL +49 7152 203-0 WEB www.geze.de Mail info.de@geze.com 2025-09-15T05:34:53Z

Rollan 80 NT complete set *



Designation	Description	Ident- No.	Colour	Pane thickness	Leaf material
Floor guide for glass leaf (adjustable)	with variable adjustment for pane thickness 8-13.5 mm, with frieze band to reduce noise on textured glass surfaces, without attachment material	120417	silver-coloured	8 - 13.5 mm	Glass

GLASS CLAMPING PLATE 30 MM SET, WITH COVERING

Glass clamping plate 30 mm including cover for leaf weights up to 80 kg



Designation	Description	Ident- No.	Colour	Pane thickness	Leaf material
Glass clamping plate 30 mm set, with covering *	Comprising 2 glass clamping plates incl. suspension bolts, individual cover profiles and end covers, up to 80 kg leaf weight, for 8–12 mm toughened safety glass	142366	Stainless steel optic	8 - 12 mm	Glass
Glass clamping plate 30 mm set, with covering *	Comprising 2 glass clamping plates incl. suspension bolts, individual cover profiles and end covers, up to 80 kg leaf weight, for 8–12 mm toughened safety glass	142367	according to RAL	8 - 12 mm	Glass
Glass clamping plate 30 mm set, with covering	Comprising 2 glass clamping plates incl. suspension bolts, individual cover profiles and end covers, up to 80 kg leaf weight, for 8–12 mm toughened safety glass	142365	EV1	8 - 12 mm	Glass

ACCESSORIES

DOOR STOP

End stop for sliding leaves



Designation	Ident-No.	Fitting No.
Door stop	000342	2-66

GEZE GmbH | Reinhold-Vöster-Straße 21-29 | D-71229 Leonberg | TEL +49 7152 203-0 | WEB www.geze.de | Mail info.de@geze.com

Product data sheet I Page 4 of 4

Rollan 80 NT complete set *



^{*} The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.