

K 4045 3D

for lightweight PVCu doors for flexible fixing



Product features



- for overlap thicknesses 15-19 mm
- door part for flexible fixing
- 3D adjustment (side $\pm 5,0$ mm, height $+ 5,0/- 1,0$ mm, compression $\pm 2,0$ mm)
- with integral security pin
- maintenance-free slide bearings

Technical data

Property	Value
Load capacity	80,0 kg
Knuckle length	100,0 mm
Knuckle Diameter	21,0 mm
Pin diameter	8,0 mm

Notes

The load capacity mentioned above refers to the use of 2 hinges per door leaf (1 x 2 m), for detailed information please look at the chapter [technical information](#).



SIKU - K 4045 3D**Installation tools**

Drilling jig SIKU Series K4
simultaneous fixing Type 4

Item versions

Finish	RAL 9016 Traffic White (SW 070)
VPE	pack of 3
DIN	DIN right and left hand
Article number	5 190820 0 07003
EAN	4015471088644
Finish	RAL 9016 Traffic White (SW 070)
VPE	pack of 12
DIN	DIN right and left hand
Article number	5 190820 0 07023
EAN	4015471086794
Finish	H9 Brown (SW 071)
VPE	pack of 3
DIN	DIN right and left hand
Article number	5 190820 0 07103
EAN	4015471088651
Finish	H9 Brown (SW 071)
VPE	pack of 12
DIN	DIN right and left hand
Article number	5 190820 0 07123
EAN	4015471086800
Finish	Satin Chrome Look (F1) (SW 124)
VPE	pack of 3
DIN	DIN right and left hand
Article number	5 190820 0 12403
EAN	4015471119713
Finish	RAL 7016 Anthracite Grey (SW 184)

SIKU - K 4045 3D

VPE	pack of 3
DIN	DIN right and left hand
Article number	5 190820 0 18403
EAN	4015471147044
Finish	RAL 1036 Pearl Gold (SW 198)
VPE	pack of 3
DIN	DIN right and left hand
Article number	5 190820 0 19803
EAN	4015471117849
Finish	RAL 9006 White Alu, clear lc (SW 204)
VPE	pack of 3
DIN	DIN right and left hand
Article number	5 190820 0 20403
EAN	4015471135805